

Product Name: 3D-Fuel Biome3DTM Revision Number: 01 Print Date: 06/01/2015 Product Code: Biome 3DTM Revision Date: 06/01/2015

Material Safety Data Sheet

In accordance with 29 CFR 1910.1200, ANSI Z400.1-2004, and ISO 11014-1: 1994.

1. <u>IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING</u>

Product Name: 3D-Fuel Biome3DTM Product Code: Biome3D

<u>Product Use:</u> A monofilament for 3D printing <u>Product Description:</u> Biodegradable Polymer Filament

Supplier: 3DomFuel, 3041 ½ Main Ave, Fargo, ND, 58103 United States <u>Customer Information Center:</u> 1-877-336-3097 <u>info@3D-Fuel.com</u>

2. HAZARDS IDENTIFICATION

This product is not classed as dangerous according to EEC directives 67/548/EEC and 99/45/EC, including amendments 2001/60/EC and 2006/8/EC. Safety measures used when typically processing thermoplastic melt materials should be adopted. Fumes from melt may cause eye, skin, and respiratory tract irritation. Use local exhaust ventilation. Wear protective clothing. Avoid touching molten polymer. Eye wash fountains and safety showers must be easily accessible.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization: Compound of biodegradable polymers

CAS Number: Not applicable (proprietary blend of non-hazardous chemicals)

EINECS Number: All ingredients are listed on the EINECS database

EG Identification Number: Not defined

Dangerous Components: None

Form: Filament

Odor: Slight/none at room temperature

4. FIRST AID MESAURES

Emergency Telephone Numbers: 1-877-336-3097 Transportation Information Chemtrec: 1-877-336-3097

<u>General Information</u>: The most likely hazard arise from burns by molten material. Apply copious amounts of cold water and seek medical attention.

<u>Inhalation:</u> If melt fumes are inhaled move to fresh air and seek medical attention.

Eyes: Treat as any foreign particulate matter, rinse open eyes thoroughly with clean water.

<u>Ingestion:</u> No information available; no toxic effects are known and no hazards are anticipated; if irritation or other symptoms occur seek medical attention.

5. FIRE FIGHTING MEASURES

Auto-ignition Temperature: > 380°C, 716°F

Explosion Hazards: None anticipated. Avoid powder generation from filament

Suitable Extinguishing Media: Water, dry chemicals, air foam.

The information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult the Company for Further Information

3D-FuelTM and logos are trademarks or registered trademarks of 3DomFuelTM in the USA and other countries.



Product Name: 3D-Fuel Biome3DTM Revision Number: 01 Print Date: 06/01/2015 Product Code: Biome 3DTM Revision Date: 06/01/2015

Non-suitable Extinguishing Media: Carbon dioxide is generally not recommended as lack of cooling capacity may result in re-ignition.

<u>Special Exposure Hazards:</u> During combustion, carbon monoxide/carbon substance, its combustion products dioxide gas is created; depending on the resulting gases: conditions, substances such as tetrahydrofuran, organic acids, alcehydes, alcohols, etc. as well as irritant vapors may also develop.

6. ACCIDENTAL RELEASE MEASURES

<u>Personal Precautions:</u> In case of dust formation use breathing apparatus. Split granule may make floors slippery – exercise care.

<u>Environmental Precautions:</u> Disposal sweep/vacuum filament into suitable container for disposal, avoiding generating dust. Observe local authority regulations.

7. HANDLING AND STORAGE

Handling: General protection and hygiene rules, keep away from open fire. Minimize dust formation.

Storage: Store product dry and sealed indoors at room temperature. Avoid extremes of temperature and humidity, and sources of ignition including static charge.

Storage Class: Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROECTION

Exposure Limit Values: None

Exposure Controls: Personal protective equipment

<u>Occupational Exposure Controls:</u> Not necessary during appropriate use <u>Environmental Exposure Controls:</u> Not necessary during appropriate use

Advice for Engineering Controls: Avoid electrostatic charge. Where available use exhaust ventilation to prevent the

build-up of fumes and/or dust

9. PHYSCIAL AND CHEMICAL PROPERTIES

General Information: Pigmented or unpigmented solid material (usually granules/filament)

Change of State: Softening at approx. 65°C

Flash Point: Not applicable

Flammability (solid, gaseous): n/a Auto Ignition Point: >380°C/716°F

Explosiveness: Not applicable (but avoid dust generation)

Explosive Limit: Not applicable
Melting Range: 120-150°C/248-302°F
Vapor Pressure at 20°C: Not applicable

Density at 20°C: 1.3 g/cm³ Bulk Density: 910 kg/m³

Solubility in Water: Non-soluble

pH: Not applicable

10. STABILITY AND REACTIVITY

<u>Stability:</u> Stale under recommended storage conditions <u>Conditions to Avoid:</u> Temperatures above 220°C/428°F

Material to Avoid: Strong acids, bases and oxidizing agents may react with acids with formation of CO2

The information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult the Company for Further Information

3D-FuelTM and logos are trademarks or registered trademarks of 3DomFuelTM in the USA and other countries.



Product Name: 3D-Fuel Biome3DTM Revision Number: 01 Print Date: 06/01/2015

Product Code: Biome 3DTM Revision Date: 06/01/2015

11. TOXICOLOGICAL INFORMATION

No Adverse effects are expected if handled under appropriate use conditions, with precautions mentioned above and below.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Product is completely biodegradable, and degradation products have been tested to verify they are non-

Mobility: No data available

Persistence, Degradability: Product is completely biodegradable according to DIN EN 13432

Bioaccumulation: Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with national, state, and local regulations.

THE COMPANY HAS NO CONTROL OVER THE MANAGEEMTN PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PARTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION 2 (Composition/Information on Ingredients).

14. TRANSPORT INFORMATION

U.S. Department of Transportation (DOT):

Proper shipping name: Not regulated as a hazardous material

IMDG:

<u>Proper Shipping Name:</u> None Hazard Class: Not regulated <u>UN/Id No.:</u> None packing group: None

ICAO/IATA:

<u>Proper Shipping Name:</u> None Hazard Class: Not regulated. <u>Packing Group:</u> None

15. <u>REGULATORY INFORMATION</u>

(Not meant to be all inclusive – selected regulations represented)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the print date shown above. However, no warranty, express, or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

This product is not hazardous according to 67/548/EEC and 99/45/EC, and subsequent amendments.

The substances used in this product comply with the inventory listing of the US Toxic Substances Control Act (TSCA), and are registered according to the European REACH regulations. No substances of very high concern are included.

The information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult the Company for Further Information

3D-FuelTM and logos are trademarks or registered trademarks of 3DomFuelTM in the USA and other countries.



Product Name: 3D-Fuel Biome3DTM Revision Number: 01 Print Date: 06/01/2015 Product Code: Biome 3DTM Revision Date: 06/01/2015

16. OTHER INFORMATION

<u>Label Information:</u> 3D-Fuel Biome3DTM

Product Code: Biome3D

Reason for Revisions: Not applicable

Revision Date: 6-1-2015 Print Date: 6-1-2015

Recommended Restrictions: None

Prepared by: 3DomFuelTM

The information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult the Company for Further Information

 $3D\text{-Fuel}^{\text{TM}}$ and logos are trademarks or registered trademarks of $3Dom\text{Fuel}^{\text{TM}}$ in the USA and other countries.